

Precision Printing, Perfect Results



Scan Here

*Experience unmatched
clarity and detail in
every print.*

SOLVENT PRODUCTS



PARIJET

Flex Printing Machine
with KM512 & KM512i



Scan Here

BOLD PRINT
BIGGER IMPACT



Demo Video

*The specifications are subject to change without any prior notice.

KM512 SPECIFICATIONS

Brand	PARIJET
Model Name	PARIJET (PJ512)
Usage/ Application	Printing / Industrial
Technology	Piezo Electric Drop on Demand
Ink Type	Solvent
Max Printing Width Size	3200 mm (126")10 Feet
Print Head	Konica Minolta 512 (4 Head/ 8Head)
Print Head Drop Size	42 PL
Resolution	up to 1440dpi
Control Boards	BYHX/UMC (8Head Supported)
Print Speed	400/800 sqft/ph
Motor & Driver	Lead shine
No. of Heater	3
No. of Pinch & Grid Roller	23
Carriage Height Adjustable	Yes
Ripping Software	Ultra print/Maintop
Operating System	Windows10/ Windows7 (64Bit)
Power Supply	Single Phase 220V
UPS Required	3 KVA Online UPS
Weight	700 kg (With Packing 800 kg Approx.)
Adjustable Height of Carriage	Yes
Media Type	Flex, Vinyl, Fabric, Backlight, Canvas, One-way Vision etc.
Warrantee	1 Year



Click on the icon above

*The specifications are subject to change without any prior notice.

KM512i SPECIFICATIONS

Brand	PARIJET
Model Name	PARIJET (PJ512i)
Usage/Application	Printing / Industrial
Technology	Piezo Electric Drop on Demand
Ink Type	Solvent
Max Printing Width Size	3200 mm (126")10 Feet
Print Head	Konica Minolta 512i (4 Head/ 8Head)
Print Head Drop Size	30 pl
Resolution	up to 1440dpi
Control Boards	BYHX/UMC (8Head Supported)
Print Speed	1200/2400 sqft/ph
Motor & Driver	Panasonic
No. of Heater	4
No. of Pinch & Grid Roller	30
Carriage Height Adjustable	Yes
Ripping Software	Ultra print/Maintop
Operating System	Windows10/ Windows7 (64Bit)
Power Supply	Single Phase 220V
UPS Required	3 KVA Online UPS
Weight	700 kg (With Packing 800 kg Approx.)
Adjustable Height of Carriage	Yes
Media Type	Flex, Vinyl, Fabric, Backlight, Canvas, One-way Vision etc.
Warranty	1 Year



Click on the icon above

*The specifications are subject to change without any prior notice.

SOLVENT PRODUCTS



CZ512

Flex Printing Machine



Scan Here

BOLD PRINT
BIGGER IMPACT



Demo Video

*The specifications are subject to change without any prior notice.

CZ512 SPECIFICATIONS

Brand	PARIJET
Model Name	CZ512
Usage/ Application	Printing/Industrial
Technology	Piezo Electric Drop on Demand
Ink Type	Solvent
Max Printing Width Size	3200 mm (126")10 Feet
Print Head	Konica Minolta 512 (4 Head/ 8Head)
Print Head Drop Size	42 pl
Resolution	up to 1440dpi
Control Boards	BYHX (8Head Supported)
Print Speed	400/800 sqft/ph
Motor & Drive	Delta (USA)
No. of Heater	Integrated Dual-heater systems (Pre & Post)
No. of Pinch & Grid Roller	27
Ripping Software	Ultra print/Maintop
Operating System	Windows10/ Windows7 (64Bit)
Power Supply	Single Phase 220V
UPS Required	3 KVA Online UPS
Weight	500 kg Approx
Media Type	Flex, Vinyl, Fabric, Backlight, Canvas, One-way Vision etc.
Warrantee	1 Year



Click on the icon above

*The specifications are subject to change without any prior notice.

SOLVENT PRODUCTS



CZ512i PLUS

Flex Printing Machine



Scan Here

BOLD PRINT
BIGGER IMPACT



Demo Video

*The specifications are subject to change without any prior notice.

CZI PLUS SPECIFICATIONS

Model	CZI PLUS
Print Heads	Japanese Konica Minolta Head KM 512i 30PL (4/8 Heads)
Max Print Area Width	3300mm (129in)
Thickness Maximum	3.0mm (120 mil) with linear (flexible)
Media Roll Outer Maximum	352mm (14.08 inch) 50.8 (2in)
Diameter	Roll Weight Maximum 150 kg
Core Diameter	76.2mm (3in)
Media Types	Vinyl, Flex, PVC, Banner, Polyester Fabric, Backlite Film
Pinch Roller & Grid Roller	27
Motor & Drive	Delta (USA)
Heater	Pre-Heater & Post-Heater, settings range for the preset
Media Heating System temperature	30 to 600 C, Dryer setting range for the preset temperature-30 to 600 C
Print Specification	Printing Width Maximum 3200mm (126 inch)
Connectivity	High Speed USB
Ink Specification	Printing Resolution Maximum up to 1440 dpi (dot per inch)
Ink Types	Solvent Ink
Ink Colours	CMYK (4 Colours)
Power Requirements	AC 220V +/- 10% 20 Amps, 50/60 Hz
Temperature	18 to 28°C, Humidity: 20 to 80% RH
Power Off Temperature	5 to 40°C, Humidity: 20 to 80% RH (non-condensing)
Machine Measurement	Printer Dimensions 4820mm×950mm×1540mm (LxWxH)
Weight	900 Kg (approx. with stand)
Performance	
Print Mode Print Resolution Passes Speed	4 Head Speed - 8 Head
Mode 1 360x360	2 pass 1200 SQFT/HR 2400 SQFT/HR
Mode 2 360x540	3 pass 800 SQFT/HR 1600 SQFT/HR
Mode 3 360×720	4 pass 600 SQFT/HR 1200 SQFT/HR
Mode 4 720×720	4 pass 500 SQFT/HR 1000 SQFT/HR



Click on the icon above

*The specifications are subject to change without any prior notice.

SOLVENT PRODUCTS



PARIMAX

Flex Printing Machine
with KM512 & KM512i



Scan Here

BOLD PRINT
BIGGER IMPACT



Demo Video

*The specifications are subject to change without any prior notice.

PARIMAX KM512 SPECIFICATIONS

Model Name	PARIMAX (PJM512)
Usage/Application	Printing / Industrial
Technology	Piezo Electric Drop on Demand
Ink Type	Solvent
Max Printing Width Size	3200 mm (126")10 Feet
Print Head	Konica Minolta 512 (4 Head/ 8Head)
Print Head Drop Size	42 pl
Resolution	up to 1440dpi
Control Boards	BYHX/UMC (8Head Supported)
Print Speed	400/800 sqft/ph
Motor & Driver	Lead shine
No. of Heater	3
No. of Pinch & Grid Roller	23
Carriage Height Adjustable	Yes
Ripping Software	Ultra print/Maintop
Operating System	Windows10/ Windows7 (64Bit)
Power Supply	Single Phase 220V
UPS Required	3 KVA Online UPS
Weight	700 kg (With Packing 800 kg Approx.)
Adjustable Height of Carriage	Yes
Media Type	Flex, Vinyl, Fabric, Backlight, Canvas, One-way Vision etc.
Warranty	1 Year



Click on the icon above

*The specifications are subject to change without any prior notice.

PARIMAX KM512i SPECIFICATIONS

Model Name	PARIMAX (PJM512i)
Usage/Application	Printing/Industrial
Technology	Piezo Electric Drop on Demand
Ink Type	Solvent
Max Printing Width Size	3200 mm (126")10 Feet
Print Head	Konica Minolta 512i (4 Head/ 8Head)
Print Head Drop Size	30 pl
Resolution	up to 1440dpi
Control Boards	BYHX/UMC (8Head Supported)
Print Speed	1200/2400 sqft/ph
Motor & Driver	Panasonic
No. of Heater	4
No. of Pinch & Grid Roller	30
Carriage Height Adjustable	Yes
Ripping Software	Ultra print/Maintop
Operating System	Windows10/ Windows7 (64Bit)
Power Supply	Single Phase 220V
UPS Required	3 KVA Online UPS
Weight	700 kg (With Packing 800 kg Approx.)
Adjustable Height of Carriage	Yes
Media Type	Flex, Vinyl, Fabric, Backlight, Canvas, One-way Vision etc.
Warranty	1 Year



Click on the icon above

*The specifications are subject to change without any prior notice.

SOLVENT PRODUCTS



PARIJET PRO

Flex Printing Machine
with KM512i



Scan Here

BOLD PRINT
BIGGER IMPACT



Demo Video

*The specifications are subject to change without any prior notice.

PARIJET PRO SPECIFICATIONS

Brand	PARIJET
Model Name	PARIJET Pro (pp512i)
Usage/ Application	Printing / Industrial
Technology	Piezo Electric Drop on Demand
Ink Type	Solvent
Max Printing Width Size	3200 mm (126")10 Feet
Print Head	Konica Minolta 512i (4 Head/ 8Head)
Print Head Drop Size	30 pl
Resolution	up to 1440dpi
Control Boards	BYHX/UMC (8Head Supported)
Print Speed	1200/2400 sqft/ph
Moter & Driver	Lead shine/ panasonic
No. of Heater	4
No. of Pinch & Grid Roller	30
Carriage Hight Adjustable	Yes
Ripping Software	Ultra print/Maintop
Operating System	Windows10/ Windows7 (64Bit)
Power Supply	Single Phase 220V
UPS Required	3 KVA Online UPS
Weight	900 kg (With Packing 1000 kg Approx.)
Adjustable Hight of Carriage	Yes
Media Type	Flex, Vinyl, Fabric, Backlight, Canvas, One-way Vision etc
Warrantee	1 Year



Click on the icon above

*The specifications are subject to change without any prior notice.

SOLVENT PRODUCTS



SOLVENT INKS

for KM512 & KM512i



Scan Here

BOLD PRINT
BIGGER IMPACT



Demo Video

*The specifications are subject to change without any prior notice.

SOLVENT INKS SPECIFICATIONS

Packaging Size	1 Litre & 5 Litre
Ink Type	Solvent Ink
Color	CMYK
Packaging Type	Bottle
Printing Type	Digital Printing
Suitable Print Head	Konica 512, Konica 512i, Seiko, Polaris, Xaar Proton.
Fast Drying	Yes
Solvent Ink	Imported
Outdoor Life	2 Years
Smell	No
Coverage Area	High
Purging rate	Low (No Blockage)



Click on the icon above

*The specifications are subject to change without any prior notice.

ECO SOLVENT PRODUCTS



PARIJET

Eco Solvent Printing Machine
with EPSON XP600



Scan Here

BOLD PRINT
BIGGER IMPACT



Demo Video

*The specifications are subject to change without any prior notice.

ECO SOLVENT XP600 SPECIFICATIONS

Brand	PARIJET
Model Name	PARIJET ECO SOLVENT (XP600)
Usage/Application	Printing/Industrial
Ink Type	Eco Solvent Ink
Ink Supply System	Bulk
Max Printing Width Size	72" (6 Feet)
Print Head	Epson XP600
Print Head Drop Size	4.5 PL
Resolution	720 Dpi
Control Boards	Honson /Shenyang
Print Speed	80-100 sqft/ph
No. of Heater	3
Ripping Software	Maintop
Operating System	Windows10/ Windows7 (64Bit)
Image Format	TIFF, JPG, EPS, PDF
Interface	Network Interface
Power Supply	Single Phase 220V (3000 W)
UPS Required	3 KVA Online UPS
Weight	200 kg approx. (with packaging)
Dimension Wooden Box	4*x3*x10*
Media Type	Flex, Vinyl, Fabric, Backlight, Canvas, One-way Vision etc.
Warrantee	1 Year



Click on the icon above

*The specifications are subject to change without any prior notice.

ECO SOLVENT PRODUCTS



PARIJET

Eco Solvent Printing Machine
with EPSON I3200



Scan Here

BOLD PRINT
BIGGER IMPACT



Demo Video

*The specifications are subject to change without any prior notice.

ECO SOLVENT i3200 SPECIFICATIONS

Brand	PARIJET
Model Name	PARIJET ECO SOLVENT (i3200)
Usage/Application	Printing/Industrial
Ink Type	Eco Solvent Ink
Ink Supply System	Bulk
Max Printing Width Size	70" (6 Feet)
Print Head	Epson i3200
Print Head Drop Size	3.8 PL
Resolution	720 Dpi
Control Boards	Honson /Shenyang
Print Speed	180-200 sqft/ph
No. of Heater	3
Ripping Software	Maintop
Operating software	Print EHP
Operating System	Windows10/ Windows7 (64Bit)
Image Format	TIFF, JPG, EPS, PDF
Interface	Network Interface
Power Supply	Single Phase 220V (3000 W)
UPS Required	3 KVA Online UPS
Weight	200 kg approx. (with packaging)
Dimension Wooden Box	4*x3*x10* Feet
Media Type	Flex, Vinyl, Fabric, Backlight, Canvas, One-way Vision etc.
Warrantee	1 Year



Click on the icon above

*The specifications are subject to change without any prior notice.

ECO SOLVENT PRODUCTS



ECO SOLVENT INKS

for EPSON XP600 & EPSON I3200



Scan Here

BOLD PRINT
BIGGER IMPACT



Demo Video

*The specifications are subject to change without any prior notice.

ECO SOLVENT i3200 SPECIFICATIONS

Packaging Size	1 Litre
Ink Type	Eco Solvent Ink
Color	CMYK
Packaging Type	Bottle
Printing Type	Digital Printing
Suitable Print Head	XP600, I3200, I1600
Fast Drying	Yes
Print Area	2000 sqft
Eco Solvent Ink	Imported
Outdoor Life	2 Years
Smell	No
Coverage Area	High
Purging Rate	Low (No Blockage)



Click on the icon above

*The specifications are subject to change without any prior notice.

FLATBED PRODUCTS



FLATBED

Printing Machine



Scan Here

BOLD PRINT
BIGGER IMPACT



Demo Video

*The specifications are subject to change without any prior notice.

FLATBED SPECIFICATIONS

Model Name	PARIJET FLATBED PRINTER
Maximum Printing Size	5" X 3"
Printhead	Ricoh GH2220 (2-3 heads)
Printing Resolution	720 X 1200 dpi (Max.)
Printing Speed	50 sqft/hr
Optimal Color Configuration	CMYK, CMYK W
Maximum Media Thickness	0-100mm
Ink Supply System	Negative Pressure Auto Ink Supply
Drying System	UV Lamps Instant Drying
Media Absorption	Vaccum Enabled
Printable Media	Glass, Ceramic, PVC, Wood, Metal, Sunboard, Acrylic, MDF, Metal Almirah, Sunpack, & All Rigid Materials etc.
Interface	High Speed USB 2.0
Operating System	WIN7/10 64 Bits
Image Format	TIFF/ JPEG/ EPS/ PDF/ AI
RIP Software	ULTRAPRINT



Click on the icon above

*The specifications are subject to change without any prior notice.

LASER CUTTING PRODUCTS



LASER

Cutting Machine



Scan Here

BOLD PRINT
BIGGER IMPACT



Demo Video

*The specifications are subject to change without any prior notice.

LASER CUTTING SPECIFICATIONS

Product model	6040/9060/1490 (single head)
Laser power	80W/100W/120W/150W
Laser type	Hermetic and detached CO2 laser tube
Cutting speed	0-36000mm/min
Engraving speed	0-64000mm/min
Resetting positioning accuracy	0.01mm
Resolution ratio	0.025 mm
Highest scanning precision	2500 DPI
The smallest character	Character 2.0 mm* 2.0 mm, English 1.0 mm* 1.0 mm
Power supply	220V/50HZ
Motor & Drive	Lead shine
Software supported	CorelDraw, Photoshop, AutoCAD etc.
Graphic format supported	PLT, DXF, BMP, CDR, AI, JPG, DST, DWG, TIFF, PSD

OTHER SPECIFICATIONS

- **64 DSP high speed processor:** Adopts 64 DSP high speed control system which highly improved the data processing speed and stability.
- **Support of USB and U disc:** USB connect to the machine or U disc independently, which can use only computer to control many laser machine.
- **Storage function:** Large storage function, which can store hundreds of files for offline operation.
- **Real time regulation:** Users can regulate the laser power according to needs to improve the engraving effect.
- **Easy operation:** Control Panel and software have both English and Chinese language so that satisfies the needs of different customers.
- **Rotary clamp for engraving cylinders (optional) :** can engrave not even sheets, but also materials and cylinders such as pencil vase, flute, bottle and so on.
- **Non-metallic materials like cloth, leather, paper, ABS double color sheet, acrylic sheet, wood, glass, marble, ceramic tiles, plastic, rubber etc.**



Click on the icon above

*The specifications are subject to change without any prior notice.



CONTACT US & JOIN US



98714-91663, 97737-13855, 95827-29739, 93197-43317



info@grsmindia.com



www.grsmindia.com



/parijet



@parijet_india



www.youtube.com/@grsmindia2496

VISIT US AT



D-20/1 A, Top Floor, Gate No. 2, Near G.D. Goenka Play School, 100 Feet Road, Chattarpur Enclave, Chattarpur, New Delhi-110074



SCAN HERE